



**NEW PRODUCTS  
CATALOGUE**  
CIXI WILL ELECTRICAL APPLIANCE CO.,LTD.



NINGBO VERY INTERNATIONAL TRADE CO.,LTD.  
CIXI WILL ELECTRICAL APPLIANCE CO., LTD

No.1 Shuangma North Road, Shuangma Village,  
Longshan Town, Cixi City, Zhejiang Province, China

Mobile/Wechat: 0086-18800398518

Email: [andy@chinawill.com.cn](mailto:andy@chinawill.com.cn)

# 目录contents

---

## 01 公司简介 company prifile

## 02 产品简介 Product introduction

Oil filled radiator 油汀取暖器	P2-9
Fan heater 暖风机	P10-12
Convector 对流取暖器	P13-15
Quartz&Halogen 石英和卤素取暖器	P16-19
MICA HEATER 电热膜取暖器	P20
AIR CIRCULATOR 空气循环扇	P21
AIR COOLER 冷风扇	P22
STAND FAN 落地扇	P23-27
TABLE FAN 台式电扇	P28
TOWER FAN 塔式电扇	P29

## company prifile

Cixi Will Electrical Appliance Co., Ltd. was founded in 1999, is located in Cixi City, the Golden Triangle Region among Jiangsu, Zhejiang and Shanghai. Will is a professional home appliances manufacturer integrated R&D, tooling, stamping, injection and assembly. With the product principle of "TOP QUALITY Is OUR LIFE" and the last 20 years of incessant development. The leading products of Oil filled radiator, PTC fan heater, convector, halogen heater quartz heater, infrared heater and Electric fan are being sold to more than 30 countries, including North America, Europe, the Middle East and Asia Pacific Area.

Cixi Will Electrical Appliance Co., Ltd. is covering a total area of 20000 square meters, construction area of 12,000 square meters. The existing fixed assets is 300 million USD and we have 500 employees at present. Will is recognized as an industry leading technology R&D and manufacturing of scientific and technological personnel, with modern production environment, a number of advanced production lines, first-class production and testing equipment, precision plastic mold manufacturing and processing equipment; and with the scale of production capacity and complete management system of product quality. Micro motor which is designed as scientific, well-election materials, performance, stability, low noise, long life, and more varieties of different specifications, short probation, good after-sales service and other advantages, has been widely applicable to all types of household appliances by users. We are of reputation at domestic and abroad. Base on our goal "Win-Win", Cixi Will Electrical Appliance Co., Ltd. is devoting itself to supplying the better design, higher quality, more environmental friendly products to our dear customer.

Warmly welcome you to visit our factory!

OIL FILLED RADIATOR

**Model NO. CYA01**

- Fin size: 150x570 mm
- Oil channels: 5
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage

**Model NO. CYA01F**

- Fin size: 150x570 mm
- Oil channels: 5
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage
- With 400W PTC turbo fan



P2

OIL FILLED RADIATOR



**Model NO. CYA001**

- Fin size: 150x570 mm
- Oil channels: 5
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage



**Model NO. CYA002**

- Fin size: 150x570 mm
- Oil channels: 5
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage



P3

OIL FILLED RADIATOR



Model NO.  
CYAC01

Model NO.  
CYAC01F

Model NO.  
CYAC01T

Model NO.  
CYAC01FT

- Fin size: 150x570 mm
- Oil channels: 5
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage
- Optional 400W PTC turbo fan
- Optional 24H timer



Model NO.  
CYAE01

Model NO.  
CYAE01F

Model NO.  
CYAE01T

Model NO.  
CYAE01FT

- Fin size: 150x570 mm
- Oil channels: 5
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage
- Optional 400W PTC turbo fan
- Optional 24H timer



Model NO.  
CYAF01

Model NO.  
CYAF01F

Model NO.  
CYAF01T

Model NO.  
CYAF01FT

- Fin size: 150x570 mm
- Oil channels: 5
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage
- Optional 400W PTC turbo fan
- Optional 24H timer



Model NO.  
CYA004

Model NO.  
CYA004F

Model NO.  
CYA004T

Model NO.  
CYA004FT

- Fin size: 150x570 mm
- Oil channels: 5
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage
- Optional 400W PTC turbo fan
- Optional 24H timer

OIL FILLED RADIATOR



Model NO.  
CYAF01

Model NO.  
CYAF01F

Model NO.  
CYAF01T

Model NO.  
CYAF01FT

- Fin size: 150x570 mm
- Oil channels: 5
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage
- Optional 400W PTC turbo fan
- Optional 24H timer

## OIL FILLED RADIATOR



### Model NO. CYA801

- Fin size: 150x570 mm
- Oil channels: 5
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage



### Model NO. CYA901

- Fin size: 150x570 mm
- Oil channels: 5
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage



### Model NO. CYA101

- Fin size: 150x570 mm
- Oil channels: 5
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage



### Model NO. CYA101

- Fin size: 150x570 mm
- Oil channels: 5
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage



### Model NO. CYA601

- Fin size: 150x570 mm
- Oil channels: 5
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage

P6



### Model NO. CYA601IF

- Fin size: 150x570 mm
- Oil channels: 5
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage
- With 400W PTC turbo fan

## OIL FILLED RADIATOR



### Model NO. CYB801

- Fin size: 125x570 mm
- Oil channels: 4
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage



### Model NO. CYB001

- Fin size: 125x570 mm
- Oil channels: 4
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage



### Model NO. CYB601

- Fin size: 125x570 mm
- Oil channels: 4
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage



### Model NO. CYB601T

- Fin size: 125x570 mm
- Oil channels: 4
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage
- With 24H timer

P7

## OIL FILLED RADIATOR



**Model NO. CYC01**

- Fin size: 120x500 mm
- Oil channels: 4
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage



**Model NO. CYC02**

- Fin size: 120x500 mm
- Oil channels: 4
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage



**Model NO. CYC03**

- Fin size: 110X560 mm
- Oil channels: 3
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage



**Model NO. CYD02**

- Fin size: 100X390 mm
- Oil channels: 3
- 3 heat settings
- Adjustable thermostat
- Overheat protection
- Indicated light
- Integrated handle and castor
- Cord storage

## OIL FILLED RADIATOR

### 150\*570MM

FINS	POWER (W)	GIFTBOX SIZE(MM)	G. W. (KG)	N. W. (KG)	LOADING QTY 40HQ(PCS)
5	1000	305*160*660	5.45	4.9	2120
7	1500	375*160*660	7.6	6.85	1730
9	2000	430*160*660	9.75	8.8	1510
11	2500	500*160*660	11.9	10.7	1290
13	2500	570*160*660	14.1	12.65	1130

### 125\*570MM

FINS	POWER (W)	GIFTBOX SIZE(MM)	G. W. (KG)	N. W. (KG)	LOADING QTY 40HQ(PCS)
5	1000	310*140*660	5	4.5	2640
7	1500	390*140*660	7.25	6.4	1910
9	2000	470*140*660	8.55	7.7	1590
11	2500	550*140*660	10.55	9.5	1340
13	2500	630*140*660	12.45	11.2	1160

### 120\*500MM

FINS	POWER (W)	GIFTBOX SIZE(MM)	G. W. (KG)	N. W. (KG)	LOADING QTY 40HQ(PCS)
5	1000	280*132*580	4.1	3.8	3110
7	1500	345*132*580	5.9	5.45	2530
9	2000	415*132*580	7.17	6.65	2120
11	2500	480*132*580	8.52	7.88	1840
13	2500	545*132*580	9.85	9.1	1610

### 110\*560MM

FINS	POWER (W)	GIFTBOX SIZE(MM)	G. W. (KG)	N. W. (KG)	LOADING QTY 40HQ(PCS)
5	1000	290*130*650	4.1	3.8	2710
7	1500	360*130*650	5.9	5.45	2170
9	2000	425*130*650	7.17	6.65	1840
11	2500	491*130*650	8.52	7.88	1590
13	2500	560*130*650	9.85	9.1	1400

### 100\*330MM

FINS	POWER (W)	GIFTBOX SIZE(MM)	G. W. (KG)	N. W. (KG)	LOADING QTY 40HQ(PCS)
5	500	275*125*415	2.45	2.15	4740
6	600	310*125*415	2.95	2.6	4220
7	700	345*125*415	3.4	3	3760
9	1000	412*125*415	4.4	3.9	3160
11	1000	483*125*415	5.35	4.75	2710

## FAN HEATER

### Model NO. FH11AL

- 2 Power Settings: 1000/2000W
- LCD display
- 24h timer
- Room temperature display
- Cool/Warm/Hot fan selection
- Safety over-heating protection
- With tip-over switch
- With anti-frost function
- Power indicator light
- With Oscillation function

MODEL	GIFT BOX SIZE MM	CARTON SIZE MM	PACKING NO (PCS/CTN)	N/W KG	G/W KG	LOADING QTY 40HQ
FH11AL	220×150×360	450×310×365	4	1.3	1.5	5320



P10

## FAN HEATER



### Model NO. FH01

- 2 Power Settings: 1000/2000W
- Cool/Warm/Hot fan selection
- Adjustable thermostat
- Safety over-heating protection
- Power indicator light



### Model NO. FH02

- 2 Power Settings: 1000/2000W
- Cool/Warm/Hot fan selection
- Adjustable thermostat
- Safety over-heating protection
- Power indicator light



### Model NO. FH03

- 2 Power Settings: 1000/2000W
- Cool/Warm/Hot fan selection
- Adjustable thermostat
- Safety over-heating protection
- Power indicator light



### Model NO. FH04

- 2 Power Settings: 1000/2000W
- Cool/Warm/Hot fan selection
- Adjustable thermostat
- Safety over-heating protection
- Power indicator light



### Model NO. FH06

- 2 Power Settings: 1000/2000W
- Cool/Warm/Hot fan selection
- Adjustable thermostat
- Safety over-heating protection
- Power indicator light



### Model NO. FH08

- 2 Power Settings: 1000/2000W
- Cool/Warm/Hot fan selection
- Adjustable thermostat
- Safety over-heating protection
- Power indicator light



### Model NO. FH08A

- 2 Power Settings: 1000/2000W
- Cool/Warm/Hot fan selection
- Adjustable thermostat
- Safety over-heating protection
- Power indicator light
- With Oscillation function

MODEL	GIFT BOX SIZE MM	CARTON SIZE MM	PACKING NO (PCS/CTN)	N/W KG	G/W KG	LOADING QTY 40HQ
FH01	220×135×270	450×280×545	8	0.8	1	8000
FH02	220×135×270	450×280×545	8	0.8	1	8000
FH03	250×125×255	515×260×515	8	1	1.2	7960
FH04	265×125×265	540×260×535	8	1	1.2	7240
FH06	250×205×170	520×510×210	6	1.4	1.6	7326
FH08	220×177×285	540×450×290	6	1.1	1.3	5790
FH08A	220×177×305	540×450×310	6	1.4	1.6	5400

P11

## FAN HEATER



**Model NO. PTC-1502A**

**Model NO. PTC-1502**

- 2 Power Settings: 750/1500W
- Cool/Warm/Hot fan selection
- Adjustable thermostat
- Ceramic heating element
- Over-heating protection
- Power indicator light
- With tip-over switch
- With oscillation(PTC-1502A)



**Model NO. PTC-1508A**

**Model NO. PTC-1508**

- 2 Power Settings: 750/1500W
- Cool/Warm/Hot fan selection
- Adjustable thermostat
- Ceramic heating element
- Over-heating protection
- Power indicator light
- With tip-over switch
- With oscillation(PTC-1508A)

MODEL	GIFT BOX SIZE MM	CARTON SIZE MM	PACKING NO (PCS/CTN)	N/W KG	G/W KG	LOADING QTY 40HQ
PTC-1502	190×170×280	690×390×285	8	1.2	1.4	7080
PTC-1502A	190×170×305	690×390×310	8	1.4	1.6	6520
PTC-1508	190×170×250	690×390×255	8	1.2	1.4	7920
PTC-1508A	190×170×260	690×390×265	8	1.4	1.6	7620

P12

## CONVECTOR



**Model NO. DL-200C**

- 3 Power Settings: 750/1250/2000W
- Adjustable thermostat control
- Over-heating protection
- Safety thermal cut out
- Power Indicator light
- Free standing or wall mounted




**Model NO. DL-200CF**

- 3 Power Settings: 750/1250/2000W
- Adjustable thermostat control
- Over-heating protection
- Safety thermal cut out
- Power Indicator light
- With turbo fan
- Free standing or wall mounted



**Model NO. DL-200CT**

- 3 Power Settings: 750/1250/2000W
- Adjustable thermostat control
- Over-heating protection
- Safety thermal cut out
- Power indicator light
- With 24h timer
- Free standing or wall mounted



**Model NO. DL-200CFT**

- 3 Power Settings: 750/1250/2000W
- Adjustable thermostat control
- Over-heating protection
- Safety thermal cut out
- Power indicator light
- With turbo fan
- With 24h timer
- Free standing or wall mounted

MODEL	GIFT BOX SIZE MM	N/W KG	G/W KG	LOADING QTY 40HQ
DL-200C	625×140×435	2.6	2.9	1870
DL-200CF	625×140×435	2.8	3.1	1870
DL-200CT	625×140×435	2.8	3.1	1870
DL-200CFT	625×140×435	2.8	3.1	1870

P13

CONVECTOR



**Model NO. DL-200A**

- 3 Power Settings: 750/1250/2000W
- Adjustable thermostat control
- Over-heating protection
- Safety thermal cut out
- Power indicator light
- Free standing or wall mounted



**Model NO. DL-200AF**

- 3 Power Settings: 750/1250/2000W
- Adjustable thermostat control
- Over-heating protection
- Safety thermal cut out
- Power indicator light
- With turbo fan
- Free standing or wall mounted



**Model NO. DL-200AT**

- 3 Power Settings: 750/1250/2000W
- Adjustable thermostat control
- Over-heating protection
- Safety thermal cut out
- Power indicator light
- With 24h timer
- Free standing or wall mounted



**Model NO. DL-200AFT**

- 3 Power Settings: 750/1250/2000W
- Adjustable thermostat control
- Over-heating protection
- Safety thermal cut out
- Power indicator light
- With turbo fan
- With 24h timer
- Free standing or wall mounted

MODEL	GIFT BOX SIZE MM	N/W KG	G/W KG	LOADING QTY 40HQ
DL-200A	555×135×395	2.2	2.5	2300
DL-200AF	555×135×395	2.4	2.7	2300
DL-200AT	555×135×395	2.4	2.7	2300
DL-200AFT	555×135×395	2.4	2.7	2300

CONVECTOR



**Model NO. DL-100B**

- 2 Power Settings: 500/1000W
- Adjustable thermostat control
- Over-heating protection
- Safety thermal cut out
- Power indicator light
- Heating element: Aluminum
- Free standing or wall mounted



**Model NO. DL-150B**

- 2 Power Settings: 750/1500W
- Adjustable thermostat control
- Over-heating protection
- Safety thermal cut out
- Power indicator light
- Heating element: Aluminum
- Free standing or wall mounted



**Model NO. DL-200B**

- 2 Power Settings: 1000/2000W
- Adjustable thermostat control
- Over-heating protection
- Safety thermal cut out
- Power indicator light
- Heating element: Aluminum
- Free standing or wall mounted


MODEL	GIFT BOX SIZE MM	N/W KG	G/W KG	LOADING QTY 40HQ
DL-100B	505×120×505	3.5	4.0	2220
DL-150B	655×120×505	4.5	5.1	1780
DL-200B	820×120×505	5.6	6.3	1360

## QUARTZ HEATER

### Model NO. NSB-180K

- 3 heating power:600W/1200/1800W
- Over heating protection
- Steel body,steady and beautiful
- Safety tip-over switch
- With convenient handle
- Stainless steel

MODEL	GIFT BOX SIZE MM	CARTON SIZE MM	PACKING NO(PCS/CTN)	N/W KG	G/W KG	LOADING QTY 40HQ
NSB-180K	350×190×395	710×583×410	6	2.3	2.7	2478



P16

## QUARTZ HEATER

### Model NO. NSB-80A

- Quartz heater
- 2 heating power:400W/800W
- Safety tip-over switch



### Model NO. NSB-80B

- Quartz heater
- 2 heating power:400W/800W
- Safety tip-over switch



### Model NO. NSB-80D

- Quartz heater
- 3 heating power:400W/800/1200W
- Safety tip-over switch
- With convenient handle



MODEL	GIFT BOX SIZE MM	CARTON SIZE MM	PACKING NO (PCS/CTN)	N/W KG	G/W KG	LOADING QTY 40HQ
NSB-80A	260×85×370	535×440×380	10	0.65	0.8	7660
NSB-80B	300×110×360	620×570×370	10	0.95	1.1	5200
NSB-80D	540×120×260	550×250×530	4	1.8	2.1	3800

P17

## HALOGEN HEATER



**Model NO. NSB-120A**

- Halogen heater
- 3 heating power:400W/800/1200W
- Safety tip-over switch
- With oscillation



**Model NO. NSB-120B**

- Halogen heater
- 3 heating power:400W/800/1200W
- Safety tip-over switch
- With oscillation



**Model NO. NSB-120BR**

- Halogen heater
- 3 heating power:400W/800/1200W
- Safety tip-over switch
- With oscillation
- With remote control



**Model NO. NSB-120C**

- Halogen heater
- 3 heating power:400W/800/1200W
- Safety tip-over switch
- With oscillation

MODEL	GIFT BOX SIZE MM	N/W KG	G/W KG	LOADING QTY 40HQ
NSB-120A	340×160×655	2.4	2.8	1900
NSB-120B	320×125×530	1.8	2.2	3200
NSB-120BR	320×125×530	1.8	2.2	3200
NSB-120C	320×125×530	1.8	2.2	3200

## HALOGEN HEATER



**Model NO. NSB-120CR**

- Halogen heater
- 3 heating power:400W/800/1200W
- Safety tip-over switch
- With oscillation
- With remote control



**Model NO. NSB-120E**

- Halogen heater
- 3 heating power:400W/800/1200W
- Safety tip-over switch
- With oscillation



**Model NO. NSB-120HR**

- Halogen heater
- 3 heating power:400W/800/1200W
- Safety tip-over switch
- With oscillation
- With remote control

MODEL	GIFT BOX SIZE MM	N/W KG	G/W KG	LOADING QTY 40HQ
NSB-120CR	320×125×530	1.8	2.2	3200
NSB-120E	340×125×540	2.0	2.4	2960
NSB-120HR	370×165×620	2.6	3.1	1870

## MICA HEATER



### Model NO. DL-200E

- 2 Power Settings: 1200/2000W
- Adjustable thermostat control
- Over-heating protection
- Safety thermal cut out
- Power indicator light
- Mica heating element
- Cloth dryer
- With tip over switch

### Model NO. DL-200F

- 2 Power Settings: 1200/2000W
- Adjustable thermostat control
- Over-heating protection
- Safety thermal cut out
- Power indicator light
- Mica heating element
- Cloth dryer
- With tip over switch

### Model NO. DL-200G

- 2 Power Settings: 1200/2000W
- Adjustable thermostat control
- Over-heating protection
- Safety thermal cut out
- Power indicator light
- Mica heating element
- Cloth dryer
- With tip over switch

MODEL	GIFT BOX SIZE MM	N/W KG	G/W KG	LOADING QTY 40HQ
DL-200E	810×162×675	4.9	6.2	760
DL-200F	815×165×625	5.4	6.5	800
DL-200G	815×165×625	5.7	6.8	800

P20

## AIR CIRCULATOR

### Model NO. CF-01R

- 220-240V~, 50/60Hz, 35W, CLASS II, IPX0
- 3FAN SPEED
- LED display with remote control
- Touch control panel
- HORIZONTAL AUTOMATIC OSCILLATION
- VERTICAL AUTOMATIC OSCILLATION
- 7H timer
- POWER CODE: 2°0.5, LENGTH: 1.5M

Model No.	G.W.(KG)	N.W.(KG)	Carton size(MM)	PC/CTN	PCS/40HQ
CF-01R	2.8	2.5	430x275x320	1	1726



### Model NO. CF-01

- 220-240V~, 50/60Hz, 35W, CLASS II, IPX0
- 3 Speeds:Low/Mid/High
- 3 FAN SPEED
- Automatic HORIZONTAL OSCILLATION
- VERTICAL MANUAL ADJUSTMENT
- POWER CODE: 2°0.5, LENGTH: 1.5M

Model No.	G.W.(KG)	N.W.(KG)	Carton size(MM)	PC/CTN	PCS/40HQ
CF-01	2.8	2.5	430x275x320	1	1726

P21

## AIR COOLER



### Model NO. SLD-4

- 220-240V~, 50/60Hz, 62W, CLASS II, IPX0
- Cooler and humidifier
- 3 Speeds:Low/Mid/High
- Swing function
- With remote control
- Strong air volume, low noise
- Honeycomb cooling pad
- Water cycling, environmental
- 4L water tank(1L for every hour)
- 7.5 hours timer
- Noise test:≤65db
- With ice box included, 2 pieces
- Easy to move by castors

Model No.	G.W.(KG)	N.W.(KG)	Carton size(MM)	PC/CTN	PCS/40HQ
SLD-4	5.0	4.0	300x275x600	1	1350



### Model NO. SL-4

- 220-240V~, 50/60Hz, 62W, CLASS II, IPX0
- Cooler and humidifier
- 3 Speeds:Low/Mid/High
- Swing function
- Strong air volume, low noise
- Honeycomb cooling pad
- Water cycling, environmental
- 4L water tank(1L for every hour)
- Noise test:≤65db
- With ice box included, 2 pieces
- Easy to move by castors

Model No.	G.W.(KG)	N.W.(KG)	Carton size(MM)	PC/CTN	PCS/40HQ
SL-4	5.0	4.0	300x275x600	1	1350

P22

## STAND FAN



### Model NO. FS40-JY

- AC220-240V, 50-60Hz, 60W
- 3 speed setting
- Oscillation function
- Tilting angel adjustable
- Height adjustable
- Oscillation function
- LED display
- 7.5h timer
- Remote control

MODEL	POWER (W)	GIFTBOX SIZE (MM)	G. W. (KG)	N. W. (KG)	LOADING QTY 40HQ (PCS)
FS40-JY	60	510*190*450	5.5	5	1500

P23

STAND FAN



**Model NO. FS40-AT**

- AC220-240V, 50-60Hz, 60W
- 3 speed setting
- Oscillation function
- Tilting angel adjustable
- Height adjustable
- Oscillation function
- 60 min timer

**Model NO. FS40-BT**

- AC220-240V, 50-60Hz, 60W
- 3 speed setting
- Oscillation function
- Tilting angel adjustable
- Height adjustable
- Oscillation function
- 60 min timer

MODEL	POWER(W)	GIFTBOX SIZE(MM)	G. W. (KG)	N. W. (KG)	LOADING QTY 40HQ (PCS)
FS40-AT	60	510*190*450	5	4	1500
FS40-BT	60	510*190*450	5	4	1500

P24

STAND FAN



**Model NO. FS40-CT**

- AC220-240V, 50-60Hz, 60W
- 3 speed setting
- Oscillation function
- Tilting angel adjustable
- Height adjustable
- Oscillation function
- 60 min timer

**Model NO. FS40-CY**

- AC220-240V, 50-60Hz, 60W
- 3 speed setting
- Oscillation function
- Tilting angel adjustable
- Height adjustable
- Oscillation function
- LED display
- 7.5h timer
- Remote control

MODEL	POWER(W)	GIFTBOX SIZE(MM)	G. W. (KG)	N. W. (KG)	LOADING QTY 40HQ (PCS)
FS40-CT/FS40-CY	60	510*190*450	5	4	1500

P25

STAND FAN



**Model NO. FS40-D**

- AC220-240V, 50-60Hz,42W
- 3 speed setting
- Oscillation function
- Tilting angel adjustable
- Height adjustable
- Oscillation function

**Model NO. FS40-E**

- AC220-240V, 50-60Hz,42W
- 3 speed setting
- Oscillation function
- Tilting angel adjustable
- Height adjustable
- Oscillation function

**Model NO. FS40-F1**

- AC220-240V, 50-60Hz,42W
- 3 speed setting
- Oscillation function
- Tilting angel adjustable
- Height adjustable
- Oscillation function

MODEL	POWER (W)	GIFTBOX SIZE (MM)	G. W. (KG)	N. W. (KG)	LOADING QTY 40HQ (PCS)
FS40-D/FS40-D1	42	500*110*465	2.7	2.2	2600
FS40-E	42	530*115*440	2.7	2.2	2500
FS40-F/FS40-F1	42	500*110*465	2.7	2.2	2600

STAND FAN



**Model NO. FS40-G**

- AC220-240V, 50-60Hz,42W
- 3 speed setting
- Oscillation function
- Tilting angel adjustable
- Height adjustable
- Oscillation function

**Model NO. FS40-H**

- AC220-240V, 50-60Hz,42W
- 3 speed setting
- Oscillation function
- Tilting angel adjustable
- Height adjustable
- Oscillation function

**Model NO. FS40-M**

- AC220-240V, 50-60Hz,42W
- 3 speed setting
- Oscillation function
- Tilting angel adjustable
- Height adjustable
- Oscillation function

MODEL	POWER (W)	GIFTBOX SIZE (MM)	G. W. (KG)	N. W. (KG)	LOADING QTY 40HQ (PCS)
FS40-G	42	500*110*465	2.7	2.2	2600
FS40-H/FS40-HY	42	530*125*440	2.7	2.2	2370
FS40-M	42	500*110*465	2.7	2.2	2600

TABLE FAN



**Model NO. FT40-A**

- AC220-240V, 50-60Hz,42W
- 3 speed setting
- Oscillation function
- Tilting angel adjustable
- Oscillation function

**Model NO. FT30-B**

- AC220-240V, 50-60Hz,38W
- 3 speed setting
- Oscillation function
- Tilting angel adjustable
- Oscillation function

**Model NO. FT22-C**

- AC220-240V, 50-60Hz,32W
- 2 speed setting
- Oscillation function
- Tilting angel adjustable
- Oscillation function

MODEL	POWER (W)	GIFTBOX SIZE (MM)	G. W. (KG)	N. W. (KG)	LOADING QTY 40HQ (PCS)
FT40-A	42	440*175*440	2.4	2.1	2080
FT30-B	38	345*190*390	2.1	1.8	2550
FT22-C	22	275*210*310	1.7	1.4	3600


P28

TOWER FAN

MODEL	POWER (W)	GIFTBOX SIZE (MM)	G. W. (KG)	N. W. (KG)	LOADING QTY 40HQ (PCS)
TF-02	45	860*200*190	3	2.5	2020

**Model NO. TF-02**

- 45W Power
- 80cm height
- High performance motor, whisper quiet with fuse
- 3 speeds, Whisper quiet
- Wide angle horizontal oscillation
- Carry handle



P29